



- Electronic copy is controlled under document control procedure. Hard copy is uncontrolled & under responsibility of beholder.
- It is allowed ONLY to access and keep this document with who issued, who is responsible and to whom it is applicable.

## **Liposuction Services Inspection Checklist- Random**

Name of the Facility:			
Date of Inspection:	/	/	

Ref.	Description	Yes	No	N/A	Remarks
5	STANDARD ONE: REGISTRATION AND LICENSURE PROCED	URES		'	
5.5.	The health facility shall provide documented evidence of the				
5.5.	following, but not limited to the following:				
5.5.1.	Transfer of critical/complicated cases when required				
5.5.2.	Patient discharge				
5.5.3.	Clinical laboratory services				
5.5.4.	Equipment maintenance services				
5.5.5.	Laundry services				
F F C	Medical waste management as per Dubai Municipality (DM)				
5.5.6.	requirements				
5.5.7.	Housekeeping services.				
	The health facility shall maintain charter of patients' rights and				
5.6.	responsibilities posted at the entrance of the premise in two				
	languages (Arabic and English).				
	The health facility shall have in place a written plan for				
5.7.	monitoring equipment for electrical and mechanical safety, with				
	monthly visual inspections for apparent defects.				
	The health facility shall ensure it has in place adequate lighting				
5.8.	and utilities, including temperature controls, water taps,				
J.6.	medical gases, sinks and drains, lighting, electrical outlets and				
	communications.				
6	STANDARD TWO: HEALTH FACILITY REQUIREMENTS				
	The health facility should install and operate equipment				
6.3.	required for provision of the proposed services in accordance				
	to the manufacturer's specifications.				

Checklist	ID	lssue#	Issue Date	Revision Date	Page#
Liposuction Services / Random	CP_9.6.03_F20	1	Nov 14, 2022	Nov 14, 2025	1/3





Electronic copy is controlled under document control procedure. Hard copy is uncontrolled & under responsibility of beholder.
 It is allowed ONLY to access and keen this document with who issued, who is responsible and to whom it is applicable.

•	It is allowed ONLY to access	and keep this d	ocument with who issued,	who is responsible and to whom it is	s applicable.	
	Information security code:	Open	☐ Shared-Confidential	□ Shared-Sensitive	☐ Shared_Secret	

6.5.	The health facility design shall provide assurance of patients			
	and staff safety.			
	Day Surgical Centers opting to perform liposuction services			
6.7.	that do not have fully equipped Intensive Care Unit (ICU)			
	capabilities shall have ventilators and hemodynamic monitoring			
	equipment on-site to perform necessary patient resuscitation.			
7	STANDARD THREE: HEALTHCARE PROFESSIONALS REQUIR	REMENTS		
	Only a DHA licensed Specialist or Consultant Plastic Surgeon			
7.1.	shall be permitted to perform liposuction. Liposuction			
	procedures should be a consultant led service at all times.			
	The Privileging Committee and/or Medical Director of the			
	health facility shall privilege the physician aligned with his/her			
7.2.	education, training, experience and competencies. The privilege			
	shall be reviewed and revised on regular intervals. The			
	privileged Plastic Surgeon shall comply with the following:			
7.2.4.	Hold an active Advanced Cardiac Life Support (ACLS)			
7.2.4.	certification.			
	A physician shall be supported by a minimum of two (2)			
7.3.	perioperative Registered Nurses (RNs) for each liposuction			
	procedure.			
7.5.	There must be a dedicated RN in the recovery area to monitor			
7.5.	the patient until discharge.			
8	STANDARD FOUR: PRE-OPERATIVE EVALUATION AND INFO	ORMED CO	NSENT	
	A detailed medical history with respect to any previous disease,			
8.1.	drug intake and prior surgical procedures shall be taken of any			
	patient indicated for liposuction.			
	Pre-operative laboratory testing should be performed to			
	include haemoglobin level, blood counts including platelet			
0.4	counts, bleeding and clotting time (or prothrombin and			
8.4.	activated partial thromboplastin time) blood chemistry profile			
	including liver function tests, pregnancy test for women of			
	childbearing age and electrocardiogram (ECG) and chest X-Ray			

Checklist	ID	lssue#	Issue Date	Revision Date	Page#
Liposuction Services / Random	CP_9.6.03_F20	1	Nov 14, 2022	Nov 14, 2025	2/3





• Electronic copy is controlled under document control procedure. Hard copy is uncontrolled & under responsibility of beholder.

• It is allowed ONLY to access and keep this document with who issued, who is responsible and to whom it is applicable.

• Information security code: ■ Open □ Shared-Confidential □ Shared-Sensitive □ Shared-Secret

	for patients aged 50 years or more.		
	Informed consent shall include verbal consultation and		
8.7.	explanation and the provision of written educational material		
	and discussion with patient including but not limited to:		
8.7.1.	Alternatives to liposuction.		
8.7.2.	All usual and occasional side effects and complications e.g.		
0.7.2.	swelling, pain seroma, haematoma, hyperpigmentation.		
	All potentially, life threatening complications e.g. fat embolism		
8.7.3.	syndrome (FES), pulmonary oedema and necrotizing fasciitis		
0.7.5.	sepsis, perforation of abdominal or thoracic viscera, cardia		
	arrest, hypotension and haemorrhage.		
8.7.4.	The possibility of a poor cosmetic and surgical outcome.		
8.7.5.	The training and experience of the physician and supportive		
0.7.5.	surgical team.		
	Limitations of the procedure and if more procedures are		
876	Limitations of the procedure and if more procedures are		
8.7.6.	needed for proper results.		
8.7.6. <b>9</b>			
	needed for proper results.		
9	needed for proper results.  STANDARD FIVE: INTRA OPERATIVE MANAGEMENT		
	needed for proper results.  STANDARD FIVE: INTRA OPERATIVE MANAGEMENT  Liposuction should be limited to 5,000 ml of total aspirant to		
9	needed for proper results.  STANDARD FIVE: INTRA OPERATIVE MANAGEMENT  Liposuction should be limited to 5,000 ml of total aspirant to include supernatant fat and fluid per procedure. A foley		
9.1.	needed for proper results.  STANDARD FIVE: INTRA OPERATIVE MANAGEMENT  Liposuction should be limited to 5,000 ml of total aspirant to include supernatant fat and fluid per procedure. A foley catheter should be inserted if more than 3,000 ml of		
9	needed for proper results.  STANDARD FIVE: INTRA OPERATIVE MANAGEMENT  Liposuction should be limited to 5,000 ml of total aspirant to include supernatant fat and fluid per procedure. A foley catheter should be inserted if more than 3,000 ml of liposuction is needed.		
9.1.	needed for proper results.  STANDARD FIVE: INTRA OPERATIVE MANAGEMENT  Liposuction should be limited to 5,000 ml of total aspirant to include supernatant fat and fluid per procedure. A foley catheter should be inserted if more than 3,000 ml of liposuction is needed.  For liposuction as an adjunct to other procedures, there should		
9.1. 9.2.	needed for proper results.  STANDARD FIVE: INTRA OPERATIVE MANAGEMENT  Liposuction should be limited to 5,000 ml of total aspirant to include supernatant fat and fluid per procedure. A foley catheter should be inserted if more than 3,000 ml of liposuction is needed.  For liposuction as an adjunct to other procedures, there should be a maximum of 2,000 ml total aspirate volume per procedure.		
9.1.	needed for proper results.  STANDARD FIVE: INTRA OPERATIVE MANAGEMENT  Liposuction should be limited to 5,000 ml of total aspirant to include supernatant fat and fluid per procedure. A foley catheter should be inserted if more than 3,000 ml of liposuction is needed.  For liposuction as an adjunct to other procedures, there should be a maximum of 2,000 ml total aspirate volume per procedure. In addition to the above, devices or drugs material must be		
9.1. 9.2.	needed for proper results.  STANDARD FIVE: INTRA OPERATIVE MANAGEMENT  Liposuction should be limited to 5,000 ml of total aspirant to include supernatant fat and fluid per procedure. A foley catheter should be inserted if more than 3,000 ml of liposuction is needed.  For liposuction as an adjunct to other procedures, there should be a maximum of 2,000 ml total aspirate volume per procedure. In addition to the above, devices or drugs material must be made immediately available and include a stethoscope, source		
9.1. 9.2.	needed for proper results.  STANDARD FIVE: INTRA OPERATIVE MANAGEMENT  Liposuction should be limited to 5,000 ml of total aspirant to include supernatant fat and fluid per procedure. A foley catheter should be inserted if more than 3,000 ml of liposuction is needed.  For liposuction as an adjunct to other procedures, there should be a maximum of 2,000 ml total aspirate volume per procedure. In addition to the above, devices or drugs material must be made immediately available and include a stethoscope, source of oxygen, self-inflating bag-valve-mask device and emergency		
9.1. 9.2.	needed for proper results.  STANDARD FIVE: INTRA OPERATIVE MANAGEMENT  Liposuction should be limited to 5,000 ml of total aspirant to include supernatant fat and fluid per procedure. A foley catheter should be inserted if more than 3,000 ml of liposuction is needed.  For liposuction as an adjunct to other procedures, there should be a maximum of 2,000 ml total aspirate volume per procedure. In addition to the above, devices or drugs material must be made immediately available and include a stethoscope, source of oxygen, self-inflating bag-valve-mask device and emergency crash cart.		

Checklist	ID	lssue#	Issue Date	Revision Date	Page#
Liposuction Services / Random	CP_9.6.03_F20	1	Nov 14, 2022	Nov 14, 2025	3/3